



Biometric Time Attendance **FF-Pro**



147 mm

62 mm

175 mm

**Non-Contact
Avoid Cross Infection**



Face



Finger



Password



Proximity Card



Door Access
Control



Baby Siren



Upgrade Version
< Palm Print > Available



**Upload /Download
Data
By Flash Drive**





Biometric Time Attendance

M1



- ✓ 2000 Users
- ✓ 2000 Fingerprint Capacity
- ✓ 2000 Password
- ✓ Log Capacity : 100,000
- ✓ Multiple Shift
- ✓ Able To Set Multiple Admin
- ✓ 2.4' TFT Colour Display
- ✓ Built-In Memory Battery
- ✓ Weight : 1.0 kg
- ✓ Dimension: 180 x 130 x 33mm



Finger Scan



Password

Increases Security and Protects Privacy

Increases Efficiency

Convenience

Accurate Attendance

Time Saving



Quick and convenient U-disk high speed download



Upload & Download
Data By Flash Drive

Advance In Fingerprint Technology



EZ-Touch Pro

Finger / Password /Proximity Card & Door Access Control Identification Machine Series

- User friendly
- 2.4" Colour display
- Fingerprint capacity 2000 pcs
- Attendance log capacity 200,000
- Upload / download data by flash drive
- Finger / password /door access control
- Installation of baby siren function ready
- Ms EXCEL report, no software needed
- Built – in memory battery & backup battery
- Dimensions (mm) : 170 x 122 x 36mm
- Weight (Kg) : 1.0



Top 7 Advantages of biometric attendance system:

- Store backup data quickly with USB connectivity
- Designed intelligently to ensure the lowest errors
- Store and verify a large number of fingerprints
- Easy to use and track employee attendance
- Good to maintain a high level of security
- Ideal for accurate payroll calculations
- Quick verification of an individual



Finger Scan



Password



Proximity card




Door Access Control



Baby Siren



Built-In
Back Up Battery



Upload / Download
Data By Flash Drive



BIOMETRICS FINGERPRINT IDENTIFICATION SYSTEM

Kimi® FD 2

The First Embedded Facial Recognition System In The World



- * Accurate * Standalone * User Friendly
- * Reliable Performance * Contactless
- * Multi-Factor Authentication * High Usability



Technical Specification

- Processor : High Speed Digital Processor
- User Capacity : 300 Face Users On 1:N Matching
- Record Capacity : 100.000 Record
- Recognition Algorithm : Dual Sensor™ V3.0
- Sensor : Specialized Dual Sensor
- Authentication Method : Face, ID + Face, ID +Pin
- Authentication Speed : Less than 1 Second (300 Users) On 1 :N Matching
- Communication Method : Standard TCP/IP USB Host
- Attendance Features : Work code , Daylight Saving
- Date Management : User – Inquiry
- Keyboard : 4 x 4 Touch Keypad
- LCD : 3.5 inch TFT Colour Screen, 65,000 Bright colour, 320 x 240 Resolution
- Power: 12V DC
- Working Distance : 30cm – 80cm
- Working Temperature : 0°C - 40°C
- Working Humidity : 20% - 80%
- Size : 230(L) x 105(W) x 130(H)mm
- Certification : CE FCC Class A ROHS



Time Attendance
software included