

Sunón


Headquarter & Experience Center
Add: Sunon Central Business Building, No.200 Shimin Street,
Qianjiang CBD, Hangzhou, Zhejiang Province, China

Russia Branch & Experience Center
Add: Sky Masnion, No.118 Varshavskoe Road, Moscow

European R&D Center
Add: Brunnenstrasse 156, 10115 Berlin, Germany

USA Headquarter & Experience Center
Add: 525 Technology Drive Suite 150 Irvine CA.92618, USA

India Branch & Experience Center
Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri,
Jubilee Hills, Hyderabad, Telangana 500033, India



Link the World Borderless Communication

Information Age, Globalized Office
We are increasingly linked to the world.

"New Generation" office
Aiming at creating more connections
and helping people to achieve more success
possibilities.

Lipa—
Link the World, Borderless Communication.



In work, one email, one call and even one meeting can lead to a connection.

The ratio of success depends on the connections you make with the world. More connections bring higher ratio of success.

Lipa, Create More Connections for Success.



Executive Space

Creators, Lead the Future

Never deliberately emphasize the status,
always stay gentle and humble.

Always keep clear thinking, and link to a
wider world.

Lipa,
Minimalistic Style, Infinite Imagination,
Marvelous Construction, Unworldly Taste.

Extended Desk Top Connect Diversified Work Scenario

The corner desk design realizes infinite extension and division of different function zones. Supporting synchronous operation of multi screens and devices and meeting the daily demand of the informal meetings.





Minimalistic Design, Comfortable Experience

2000mm*1800mm super big desktop utilization ratio creates an extension of operation area and makes the complicated office work easy. Inspired by MAC AIR, the polygonedge of the desktop brings the seamless body-desk contact, making work more comfortable.

Exquisite Craft, Upgraded Quality

68°inclined steel legs, a breakthrough of physics bending limit. More flexible, larger legroom. White matte effect on the surface of steel legs, decorated with silver accessories, enriching the understructure gradation on the whole and rendering a mild texture disposed of metal's coldness.





Within Reach, Handy Use

The multi-function side cabinet has two versions. Reasonable inner space partitioning gives its drawers sufficient storage room.

Innovative handle design perfectly fit the point of finger strength so you can open and close the cabinet at ease.

Flip box, frosted with metal, delicate and elegant. Fitted with multi-outlet panel, it meets the power demand of different systems.

Independent Office Yet No Compromising Communication

Catering to private office and keeping it closely connected to other work space meanwhile. I-shaped supervisor desk, simple and neat design makes communication easier. Side cabinet is optional, equally high with the main desk. It can be used as an extended workspace or independently used as a storage room.




Working Space

Coordinators, Agile Response

Dynamic Space
Better Coordinating Experience
Lipa, A Style of Its Own
Teamwork with flexible interaction
Connecting fun and creative ideas freely.





Easy Connection, Minimalistic Style


Concise I-shaped modeling makes communication and cooperation easier, smoothing project development and improving work efficiency.


Cable routing box of alluminum alloy, consistent design of the cable slot and the modesty panel, keeping the workspace neat and clean.



“Bespoke” , Optimization of Space

Focus on teamwork, I-shaped with cabinets, modular design, proper storage space of office and personal belongings. “1+1” assembly and array extends infinitely in space, a great improvement of space utilization ratio.





Diversified Combination, Young Generation Style

L-shaped desk top orderly assembled using the 90°right angle. 2-person team can be formed with a turnaround, making communication more convenient.

A glass screen is fitted in to meet the demand for open and private space at the same time, bringing unprecedented experience to highlight energy and vigor.





Detailed Design, Closer Connection


Newly added screen slot, as long as the gap between main desk and extended desk, thus seamless connection between desks to avoid small gadgets dropping or losing. Screen clip design can be used to clip the screen above and the modesty panel under the desk. Closely fitted to the thickness of the screen, easy to assemble and operate.



Privacy-friendly an Coincidence with Modern Aesthetics

Compared to the double E-shaped workstation, the H-shaped workstation aims at flexible work coordination. The enclosed workstation is good for concentration and independent thinking. Young and fashionable match of colors create a concise and open work environment.






Upgraded Safety, Innovative Routing

Metal plate cable routing slot optimize the whole cable routing system. It integrates power demand of modern office desks, with 50cm separation between strong and weak current ensuring the steady, fast and non-interfering signal transmission of the heavy-load switch. The close-to-edge cable box is closely fitting to the very edge of the desk, minimizing unused area to save space.





Dare to Change, True to Oneself

120° workstation, a breakthrough of the conventional office mode. The whole workspace can be broken into three-person or six-person collaboration workspace, a big increase of work efficiency.






Partitioning Function Space Efficient Office Work

120° workstation partitioned into different function sections around you, which enables more smooth work and sophisticated and diversified work demand being dealt with at ease.

Triangular prism cable riser matched with a flip box makes cables to rise from three sides, avoiding sophisticated cable routes and catering to heavy power demand from high-volume office.






Combination of Functions and Intelligence

Shared central cabinet, linking to multi-scenarios of modern office, and realization of proper storage of files and documents with privacy consideration: an independent workstation of your own.



Wireless Connection, Cleaner Office

The in-cabinet cable routing safely hides cables. The meticulous attention to details keeps the whole office environment more compact and clean.



Various Combination, Convenient Office

Small room with big space. Sufficient storage room makes available the clear sorting out of personal belongings and work documents.



The top cabinet serves as a temporary bar counter, realizing simple communication within a small scope and the simultaneous note-taking makes work easier.





Involve More Communicators

Balancing work and social life

Attracting more people

Lipa

Shared Space, Personalized Expression

Willing to Share, Efficient Interaction

Negotiation Space

Temporary Communication

Small negotiation table. The mellow shape is consistent with the style of the whole series, meeting demand of small reception or temporary workout.




Ample Room, Efficient Meeting

Formal meeting system. The minimalistic desk top and outward legs bring bigger legroom. Even a big meeting of 8-12 people won't find it cramped.







Executive Desk




DN89L/R
W2200•D1800•H750(mm)




DN88L/R
W2250•D1780•H750(mm)
W2450•D1780•H750(mm)



DN87L/R
W1800•D1630•H750(mm)
W2000•D1630•H750(mm)



DN86
W1800•D900•H750(mm)
W2000•D900•H750(mm)



DN85
W1600•D750•H750(mm)
W1800•D900•H750(mm)
W2000•D900•H750(mm)



DN21
W900•D400•H750(mm)




DN22
W900•D600•H750(mm)


Workstation




DN60
W1200•D628•H750(mm)
W1400•D728•H750(mm)
W1500•D728•H750(mm)
W1600•D728•H750(mm)




DN60A
W1200•D628•H750(mm)
W1400•D728•H750(mm)
W1500•D728•H750(mm)
W1600•D728•H750(mm)




DN61
W1200•D1228•H750(mm)
W1400•D1428•H750(mm)
W1500•D1428•H750(mm)
W1600•D1428•H750(mm)




DN61A
W1200•D1228•H750(mm)
W1400•D1428•H750(mm)
W1500•D1428•H750(mm)
W1600•D1428•H750(mm)



DN62L/R
W1428•D1428•H750(mm)
W1528•D1528•H750(mm)
W1628•D1628•H750(mm)




DN62AL/R
W1428•D1428•H750(mm)
W1528•D1528•H750(mm)
W1628•D1628•H750(mm)



DN62BL/R
W1456•D1428•H750(mm)
W1556•D1528•H750(mm)
W1656•D1628•H750(mm)




DN63
W1428•D2828•H750(mm)
W1528•D3028•H750(mm)
W1628•D3228•H750(mm)




DN63A
W1428•D2828•H750(mm)
W1528•D3028•H750(mm)
W1628•D3228•H750(mm)



DN63B
W1456•D2828•H750(mm)
W1556•D3028•H750(mm)
W1656•D3228•H750(mm)




DN64
W2828•D2828•H750(mm)
W3028•D3028•H750(mm)
W3228•D3228•H750(mm)




DN64B
W2856•D2828•H750(mm)
W3056•D3028•H750(mm)
W3256•D3228•H750(mm)




DN67
W1200•D1228•H750(mm)
W1400•D1428•H750(mm)
W1500•D1428•H750(mm)
W1600•D1428•H750(mm)



DN68
W1200•D628•H750(mm)
W1400•D728•H750(mm)
W1500•D728•H750(mm)
W1600•D728•H750(mm)




DN52
W2400•D628•H750(mm)
W2800•D728•H750(mm)
W3000•D728•H750(mm)
W3200•D728•H750(mm)




DN53
W2400•D1228•H750(mm)
W2800•D1428•H750(mm)
W3000•D1428•H750(mm)
W3200•D1428•H750(mm)


Workstation with Side Cabinet




DN60
W1200•D628•H750(mm)
W1400•D728•H750(mm)
W1500•D728•H750(mm)
W1600•D728•H750(mm)




DN60A
W1200•D628•H750(mm)
W1400•D728•H750(mm)
W1500•D728•H750(mm)
W1600•D728•H750(mm)




DN61
W1200•D1228•H750(mm)
W1400•D1428•H750(mm)
W1500•D1428•H750(mm)
W1600•D1428•H750(mm)




DN61A
W1200•D1228•H750(mm)
W1400•D1428•H750(mm)
W1500•D1428•H750(mm)
W1600•D1428•H750(mm)




DN62L/R
W1428•D1428•H750(mm)
W1528•D1528•H750(mm)
W1628•D1628•H750(mm)




DN62AL/R
W1428•D1428•H750(mm)
W1528•D1528•H750(mm)
W1628•D1628•H750(mm)




DN62BL/R
W1456•D1428•H750(mm)
W1556•D1528•H750(mm)
W1656•D1628•H750(mm)




DN63
W1428•D2828•H750(mm)
W1528•D3028•H750(mm)
W1628•D3228•H750(mm)




DN63A
W1428•D2828•H750(mm)
W1528•D3028•H750(mm)
W1628•D3228•H750(mm)



DN63B
W1456•D2828•H750(mm)
W1556•D3028•H750(mm)
W1656•D3228•H750(mm)




DN64
W2828•D2828•H750(mm)
W3028•D3028•H750(mm)
W3228•D3228•H750(mm)




DN64B
W2856•D2828•H750(mm)
W3056•D3028•H750(mm)
W3256•D3228•H750(mm)

120°Workstation




DN50
W2344•D2710•H750(mm)



DN51
W4716•D2710•H750(mm)


Combined Staff Workstation Of Cabinet




DNZGL/R
W1500•D640•H645(mm)



DNCGL/R
W1500•D400•H645(mm)




DNDZGL/R
W1500•D640•H1217(mm)



DNDCGL/R
W1500•D400•H1217(mm)


Meeting Table




DN70
W1000•D1000•H750(mm)




DN71
W2400•D1200•H750(mm)



DN72
W2800•D1400•H750(mm)
W3200•D1400•H750(mm)
W3600•D1400•H750(mm)



DN73
W1000•D1000•H750(mm)
W1200•D1200•H750(mm)



DN74
W2000•D1000•H750(mm)

Accessories



DNDXX
W375•D40•H560(mm)



DNSXX
W580•D40•H560(mm)




DNDXX
W174•D279•H688(mm)




DNSXX
W312•D279•H688(mm)




AUSCXB
W300•D119•H69(mm)



BOMCXB
W360•D119•H69(mm)



URYCXB
W300•D119•H69(mm)



PERCXB
W300•D119•H69(mm)



CNCXB
W300•D119•H69(mm)



DNSPJ
W300•D270•H95(mm)




DNDPJ
W300•D144•H95(mm)



DNDLXG
W2145•D130•H60(mm)




DNSLXG
W2145•D160•H60(mm)




DNSXX
W700•D158•H356(mm)
W900•D158•H356(mm)
W1000•D158•H356(mm)
W1100•D158•H356(mm)
W1200•D158•H356(mm)
W1300•D158•H356(mm)
W1400•D158•H356(mm)



DNDXX
W700•D68•H349(mm)
W900•D68•H349(mm)
W1000•D68•H349(mm)
W1100•D68•H349(mm)
W1200•D68•H349(mm)
W1300•D68•H349(mm)
W1400•D68•H349(mm)



DNDXC
W710•D208•H350(mm)
W910•D208•H350(mm)
W1010•D208•H350(mm)
W1110•D208•H350(mm)
W1210•D208•H350(mm)
W1310•D208•H350(mm)
W1410•D208•H350(mm)




DNSXC
W700•D310•H440(mm)
W900•D310•H440(mm)
W1000•D310•H440(mm)
W1100•D310•H440(mm)
W1200•D310•H440(mm)
W1300•D310•H440(mm)
W1400•D310•H440(mm)




DNDDB
W396•D480•H8(mm)
W496•D480•H8(mm)



DNZDB
W546•D480•H8(mm)
W696•D480•H8(mm)



DNSDB
W870•D480•H8(mm)
W1070•D480•H8(mm)



DNBP
W530•350•H32(mm)
W880•350•H32(mm)
W1080•350•H32(mm)
W1180•350•H32(mm)
W1280•350•H32(mm)
W1380•350•H32(mm)
W1480•350•H32(mm)
W1580•350•H32(mm)

Material

Featured Color



S-57



S-10C

Other Options



S-50



S-37



S-43



S-57

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.